

FAKULTETI I SHKENCAVE KOMPJUTERIKE

PERDORIMI I APLIKACIONIT PER SIGURINE NE E-MAIL "THUNDERBIRD"

- ☐ Thunderbird ose "mail use agent" (MUA)
- ☐ Eshte ndertuar te punoje me e-mail egzistues
- ☐ Jep siguri me shume (avantazh) se webpage service

INSTALIMI I THUNDERBIRD


☐ https://www.mozilla.org/en-US/thunderbird/



☐ Krijoni kushte optimale (mbyllni gjtha aplikacionet tjera)

INSTALIMI I THUNDERBIRD






PARAPERGATITJA E LLOGARISE E-MAIL PER PERDORIM NE THUNDERBIND

Protokolle kriptografike **SSL** (Security Socket Layer) (PC - Mail communication) **TLS** (Transport Layer security)

General	Labels	Inbox	Acco	ounts and Import	Filters	Forwarding and	POP/IMAP	Chat	Web Clips	Labs	Offline	Themes
Forwardi Learn mo	100			Add a forwarding		_	nail by creating	g a filter	ı			
POP Download: Learn more				1. Status: POP is enabled for all mail that has arrived since 11/8/13 Enable POP for all mail (even mail that's already been downloaded) Enable POP for mail that arrives from now on Disable POP 2. When messages are accessed with POP keep Gmail's copy in the Inbox 3. Configure your email client (e.g. Outlook, Eudora, Netscape Mail) Configuration instructions								
IMAP Access: (access Gmail from other clients using III AP) Learn more			lw)	Status: IMAP is enabled Enable IMAP Disable IMAP When I mark a message in IMAP as deleted: Auto-Expunge on - Immediately update the server. (default) Auto-Expunge off - Wait for the client to update the server. When a message is marked as deleted and expunged from the last visible IMAP folder: Archive the message (default) Move the message to the Trash Immediately delete the message forever								

KONFIGURIMET BAZIKE



- □ Username
 - ☐ Email
- Password
- ☐ Incoming server imap.example.com
 Default port
- Outgoing serverSmtp.example.comDefault port


KONFIGURIMET BAZIKE




- ☐ Protokolle te internetit ne shtresen e aplikacionit
- ☐ **IMAP** (Internet Acces Protocol)

 Ruajne nje SMS ne server
 - ☐ POP3 (Post office protocol) Kthejn aksesin e sms-ve ne rrjetin lokal nga server-mail

KONFIGURIMI MANUAL E-MAIL



KONFIGURIMI MANUAL E-MAIL



KONFIGURIMI MANUAL E-MAIL

Account Settings



■ kepuska.krenar@gmail.com

Server Settings

Copies & Folders

Composition & Addressing

Junk Settings

Synchronization & Storage

Return Receipts

Security

▲ Local Folders

Junk Settings

Disk Space

Facebook Chat - krenar

Outgoing Server (SMTP)

Outgoing Server (SMTP) Settings

When managing your identities you can use a server from this list by selecting it as the Outgoing Server (SMTP), or you can use the default server from this list by selecting "Use Default Server".

Google Mail - smtp.googlemail.com (Default)

A<u>d</u>d... Edit... Re<u>m</u>ove

Set Default

Description: Google Mail

Server Name: smtp.googlemail.com

Port: 465


User Name: kepuska.krenar@gmail.com

Authentication method: Normal password


Connection Security: SSL/TLS

JUNK E-MAIL CONTROL


- ☐ Largon e-mail jo te pasta ne menyre automatike nga Inbox
- ☐ Tools/option/security




E-MAIL SCAMS




SUPORTIMI I THUNDERBIRD NE APLIKACIONET ANTI-VIRUS




APLIKIMI I FJALEKALIMIT TE THUNDERBIRD



FINALIZIMI I JUNK CONTROL




PROJEKTI PGP (PRETTY GOOD PRIVACY)




- ☐ PGP konsiston ne celesin (publik privat) per kodimin e e-mail
- ☐ Celesi publik "adresa" per te na derguar e-mail te koduar
 - ☐ Celesi privat konsiston ne hapjen e e-mail te koduara

PROJEKTI PGP (PRETTY GOOD PRIVACY) KODIMI I E-MAILEVE






HAPI 1 - KRIJIMI I CELESAVE PGP




□ Magjistari□ Ekspertiza


HAPI 2 - KRIJIMI I CELESAVE PGP




HAPI 3 - KRIJIMI I CELESAVE PGP




HAPI 4 - KRIJIMI I CELESAVE PGP



HAPI 5 - KRIJIMI I CELESAVE PGP



HAPI 6 - KRIJIMI I CELESAVE PGP




KODIMI I ATACHMENT-IT



☐ Pyetje teknike (dergimi i e-mail te koduar per her te pare)


VENDOSJA E FJALEKALIMIT




- □ Vendoset fjalekalimi i celesit sekret (ruhet perkohesisht ne kujtese)
- □Duhet te jete i ndryshem nga fjalekalimi i e-mail

DERGIMI DHE PRANIMI I CELESAVE PUBLIK


Kembimi i celesave (!!!vertetsia) | e-mail | USB | VoIP |




PRANIMI I CELESAVE PUBLIK DHE SISTEMIMI I TYRE



SISTEMIMI I CELESAVE PUBLIK



MESAZHI PAS DEKODIMIT



FALEMNDERIT

Pyetje?